

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (withdrawn-currently amended) A device for collection of concrete-like materials from a storage reservoir or material distribution means, said collection device comprising:

~~a concrete storage reservoir;~~

a collapsible container adapted to be received proximate the material ~~said concrete storage reservoir;~~

or a distribution means, said container comprising fold lines ~~for dispensing the concrete-like materials from said concrete storage reservoir;~~ and,

means adapted for at least partially supporting a portion of said container, whereby said container may receive the ~~concrete-like materials~~ therewithin.

2. (withdrawn) The device of claim 1, wherein said collapsible container further comprises:

four sides, top and bottom, wherein said four sides comprise length dimensions and height dimensions, and wherein said height dimensions are less than or equal to said length dimensions.

3. (withdrawn) The device of claim 2, wherein said bottom comprises dimensions, and wherein said length dimensions of said four sides are equal to said dimensions of said bottom to which said sides are attached.

4. (withdrawn) The device of claim 2, wherein said top is at least partially enclosed.

5. (withdrawn) The device of claim 4, further comprising means for permitting entry of concrete-like materials into said collapsible container.

6. (withdrawn) The device of claim 5, wherein said means for permitting entry is a substantially rectangular opening.

7. (withdrawn) The device of claim 6, wherein said means for permitting entry is substantially centrally located within said top.

8. (withdrawn) The device of claim 6, wherein said top has a center and wherein said means for permitting entry is located between said center of said top and one of said sides.

9. (withdrawn) The device of claim 5, wherein said means for permitting entry is a tube.

10. (withdrawn) The device of claim 9, wherein said tube is carried by said top.

11. (withdrawn) The device of claim 9, wherein said tube is carried by one of said sides.

12. (withdrawn) The device of claim 9, wherein said tube is substantially cylindrical.

13. (withdrawn) The device of claim 4, wherein said collapsible container further comprises vents, whereby air can exit from said device.

14. (withdrawn) The device of claim 2, wherein said top is substantially open.

15. (withdrawn) The device of claim 2, wherein said top has a periphery.

16. (withdrawn) The device of claim 15, further comprising reinforcements around said periphery of said top.

17. (withdrawn) The device of claim 5, wherein said means for permitting entry has a periphery.

18. (withdrawn) The device of claim 17, further comprising reinforcements around said periphery of said means for permitting entry.

19. (withdrawn) The device of claim 1, wherein said means adapted for at least partially supporting a portion of said container comprises loop supports.

20. (withdrawn) The device of claim 19, wherein said sides form junctions therebetween, and wherein said loop supports are carried by said junctions.

21. (withdrawn) The device of claim 19, wherein said loop supports are constructed from a material selected from the group consisting of fabric, metal, reinforced fabric, and plastic.

22. (withdrawn) The device of claim 21, wherein said means adapted for partially supporting comprises loop supports and reinforcement extensions, and wherein said reinforcement extensions pass through said loop supports.

23. (withdrawn) The device of claim 22, wherein said reinforcement extensions further comprise support attachment means.

24. (withdrawn) The device of claim 1, wherein said collapsible container further comprises a material that permits water to exit therefrom without permitting concrete particles to exit therefrom.

25. (withdrawn) The device of claim 24, wherein said material comprises a polymer.

26. (withdrawn) The device of claim 24, wherein said material is selected from the group consisting of polyolefins and nylon.

27. (withdrawn) The device of claim 26, wherein said material comprises woven polypropylene.

28. (withdrawn) The device of claim 19, further comprising extension straps attached to said loop supports.

29. (withdrawn) The device of claim 28, wherein said extension straps comprise bungee cords.

30. (withdrawn) The device of claim 28, further comprising means for affixing said extension straps to a support point.

31. (withdrawn) The device of claim 1, wherein said collapsible container is of round cross-section.

32. (withdrawn) The device of claim 1, wherein said collapsible container comprises any generally prismatic shape.

33. (withdrawn-currently amended) A device for collection of concrete-like materials from a storage reservoir or material distribution means, said collection device comprising:

a collapsible container adapted to be received proximate the ~~storage~~ material reservoir or distribution means, wherein said collapsible container comprises a planar top, and wherein said planar top comprises an opening coplanar with said planar top; and, means adapted for at least partially supporting a portion of said container by the material reservoir or distribution means ~~a support frame for supporting said collapsible container.~~

34. (withdrawn) The device of claim 33, wherein said collapsible container further comprises:

four sides, top and bottom, wherein said four sides comprise length dimensions and height dimensions, and

wherein said height dimensions are less than or equal to said length dimensions.

35. (withdrawn) The device of claim 34, wherein said bottom comprises dimensions, and wherein said length dimensions of said four sides are equal to said dimensions of said bottom to which said sides are attached.

36. (withdrawn) The device of claim 34, wherein said top is at least partially enclosed.

37. (withdrawn) The device of claim 36, further comprising means for permitting entry of concrete-like materials into said collapsible container.

38. (withdrawn) The device of claim 37, wherein said means for permitting entry is a substantially rectangular opening.

39. (withdrawn) The device of claim 38, wherein said means for permitting entry is substantially centrally located within said top.

40. (withdrawn) The device of claim 38, wherein said top has a center and wherein said means for permitting entry is located between said center of said top and one of said sides.

41. (withdrawn) The device of claim 37, wherein said means for permitting entry is a tube.

42. (withdrawn) The device of claim 41, wherein said tube is carried by said top.

43. (withdrawn) The device of claim 41, wherein said tube is carried by one of said sides.

44. (withdrawn) The device of claim 41, wherein said tube is substantially cylindrical.

45. (withdrawn) The device of claim 36, wherein said collapsible container further comprises vents, whereby air can exit from said device.

46. (withdrawn) The device of claim 34, wherein said top is substantially open.

47. (withdrawn) The device of claim 34, wherein said top has a periphery.

48. (withdrawn) The device of claim 47, further comprising reinforcements around said periphery of said top.

49. (withdrawn) The device of claim 37, wherein said means for permitting entry has a periphery.

50. (withdrawn) The device of claim 49, further comprising reinforcements around said periphery of said means for permitting entry.

51. (withdrawn) The device of claim 33, wherein said means adapted for at least partially supporting a portion of said container comprises loop supports.

52. (withdrawn) The device of claim 51, wherein said sides form junctions therebetween, and wherein said loop supports are carried by said junctions.

53. (withdrawn) The device of claim 51, wherein said loop supports are constructed from a material selected from the group consisting of fabric, metal, reinforced fabric, and plastic.

54. (withdrawn) The device of claim 53, wherein said means adapted for partially supporting comprises loop supports and reinforcement extensions, and wherein said reinforcement extensions pass through said loop supports.

55. (withdrawn) The device of claim 54, wherein said reinforcement extensions further comprise support attachment means.

56. (withdrawn) The device of claim 33, wherein said collapsible container further comprises a material that permits water to exit therefrom without permitting concrete particles to exit therefrom.

57. (withdrawn) The device of claim 56, wherein said material comprises a polymer.

58. (withdrawn) The device of claim 56, wherein said material is selected from the group consisting of polyolefins and nylon.

59. (withdrawn) The device of claim 58, wherein said material comprises woven polypropylene.

60. (withdrawn) The device of claim 51, further comprising extension straps attached to said loop supports.

61. (withdrawn) The device of claim 60, wherein said extension straps comprise bungee cords.

62. (withdrawn) The device of claim 60, further comprising means for affixing said extension straps to a support point.

63. (withdrawn) The device of claim 33, wherein said collapsible container is generally of round cross-section.

64. (withdrawn) The device of claim 33, wherein said collapsible container comprises any generally prismatic shape.

65. (withdrawn-currently amended) A device for collection of concrete-like materials from a storage reservoir or material distribution means, said collection device comprising:

~~a concrete storage reservoir;~~

a collapsible container having a bottom and a top, wherein said top and said bottom are substantially parallel, and wherein said collapsible container is ~~having an opening therein, wherein said collapsible container is adapted to be received proximate said concrete storage~~ the material reservoir;

~~a~~ or distribution means; and,

means adapted for at least partially supporting an upper portion of said container for receipt of the materials therewithin, ~~wherein said means adapted for at least partially supporting comprises a means for maintaining the shape of said opening in said collapsible container.~~

66. (withdrawn) The device of claim 65, wherein said collapsible container further comprises:

four sides, top and bottom, wherein said four sides comprise length dimensions and height dimensions, and

wherein said height dimensions are less than or equal to said length dimensions.

67. (withdrawn) The device of claim 66, wherein said bottom comprises dimensions, and wherein said length dimensions of said four sides are equal to said dimensions of said bottom to which said sides are attached.

68. (withdrawn) The device of claim 67, wherein said top is at least partially enclosed.

69. (withdrawn). The device of claim 68 further comprising means for permitting entry of concrete-like materials into said collapsible container.

70. (withdrawn) The device of claim 69, wherein said means for permitting entry is a substantially rectangular opening.

71. (withdrawn) The device of claim 70, wherein said means for permitting entry is substantially centrally located within said top.

72. (withdrawn) The device of claim 70, wherein said top has a center and wherein said means for permitting entry is located between said center of said top and one of said sides.

73. (withdrawn) The device of claim 69, wherein said means for permitting entry is a tube.

74. (withdrawn) The device of claim 73, wherein said tube is carried by said top.

75. (withdrawn) The device of claim 73, wherein said tube is carried by one of said sides.

76. (withdrawn) The device of claim 73, wherein said tube is substantially cylindrical.

77. (withdrawn) The device of claim 68, wherein said collapsible container further comprises vents, whereby air can exit from said device.

78. (withdrawn) The device of claim 66, wherein said top is substantially open.

79. (withdrawn) The device of claim 66, wherein said top has a periphery.

80. (withdrawn) The device of claim 79, further comprising reinforcements around said periphery of said top.

81. (withdrawn) The device of claim 69, wherein said means for permitting entry has a periphery.

82. (withdrawn) The device of claim 81, further comprising reinforcements around said periphery of said means for permitting entry.

83. (withdrawn) The device of claim 65, wherein said means adapted for at least partially supporting a portion of said container comprises loop supports.

84. (withdrawn) The device of claim 83, wherein said sides form junctions therebetween, and wherein said loop supports are carried by said junctions.

85. (withdrawn) The device of claim 83, wherein said loop supports are constructed from a material selected from the group consisting of fabric, metal, reinforced fabric, and plastic.

86. (withdrawn) The device of claim 85, wherein said means adapted for partially supporting comprises loop supports and reinforcement extensions, and wherein said reinforcement extensions pass through said loop supports.

87. (withdrawn) The device of claim 86, wherein said reinforcement extensions further comprise support attachment means.

88. (withdrawn) The device of claim 65, wherein said collapsible container further comprises a material that permits water to exit therefrom without permitting concrete particles to exit therefrom.

89. (withdrawn) The device of claim 88, wherein said material comprises a polymer.

90. (withdrawn) The device of claim 88, wherein said material is selected from the group consisting of polyolefins and nylon.

91. (withdrawn) The device of claim 90, wherein said material comprises woven polypropylene.

92. (withdrawn) The device of claim 83, further comprising extension straps attached to said loop supports.

93. (withdrawn) The device of claim 92, wherein said extension straps comprise bungee cords.

94. (withdrawn) The device of claim 92, further comprising means for affixing said extension straps to a support point.

95. (withdrawn) The device of claim 65, wherein said collapsible container is generally round.

96. (withdrawn) The device of claim 65, wherein said collapsible container comprises any generally prismatic shape.

97. (withdrawn) A device for collection of concrete-like materials comprising:

bag section, having top, bottom and at least one side;

support loops; and

inflatable section carried by said at least one side proximate said bottom.

98. (withdrawn) The device of claim 97, wherein said at least one side comprises four sides.

99. (withdrawn) The device of claim 98, wherein said inflatable section further comprises tying supports, wherein said tying supports extend between at least two of said four sides.

100. (withdrawn) The device of claim 97, wherein said at least one side is circular.

101. (withdrawn) A method for collection of concrete-like materials comprising the steps of:

a. providing a source of concrete to be collected;

b. providing at least one collapsible container for containing concrete to be collected;

c. providing an opening in said at least one collapsible container to permit flow of concrete to be collected;

d. providing means for supporting said at least one collapsible container under the source of concrete to be collected;

e. expanding said at least one collapsible container;

f. at least partially supporting said at least one collapsible container from the source of concrete to be collected; and,

g. flowing the concrete to be collected into said at least one collapsible container through said opening.

102. (withdrawn) The method of claim 101, further comprising the step, between steps f and g, of securing said at least one collapsible container via means for attachment to said source of concrete to be collected.

103. (withdrawn) The method of claim 101, further comprising the step of:

allowing water to seep out of said container, whereby the concrete is dewatered and solidified.

104. (withdrawn) The method of claim 101, further comprising the steps of:

- h. removing said container; and
- i. recycling contents of said container.

105. (withdrawn) A method of collecting concrete-like materials comprising the steps of:

- obtaining at least one collapsible container;
- expanding said at least one collapsible container;
- placing said at least one collapsible container to receive discharge from a concrete-like material source;
- attaching at least one collapsible container to a support point; and
- discharging concrete-like materials into said at least one collapsible container.

106. (withdrawn) A method for collecting concrete-like materials comprising the steps of:

- obtaining at least one collapsible container, wherein said collapsible container comprises at least one inflatable section;
- placing said at least one collapsible container under a source of concrete-like material;

inflating said at least one inflatable section; and
discharging concrete-like material into said at least one
collapsible container.

107. (withdrawn) The method of claim 106, further
comprising removing said source of concrete-like material.

108. (withdrawn-currently amended) A device for
collection of concrete-like materials from a storage reservoir
or material distribution means, said collection device
comprising:

~~a concrete storage reservoir;~~

a water impermeable, collapsible container adapted to be
received proximate ~~said concrete storage~~ the material
reservoir or a distribution means, wherein said
collapsible container comprises a top, a bottom and fold
lines, and wherein said fold lines are substantially
parallel with said top and said bottom; and,

means adapted for at least partially supporting a portion
of said container, whereby said container may receive the
materials therewithin.

Inglese, Pat

Appl. No. 10/722,153

Filed: November 25, 2003

Atty. Docket No. 21480-RA

Page 27 of 31

109. (withdrawn) The device of claim 108 wherein said water impermeable container comprises a liner.